

GEOLOGICAL SURVEY OF WYOMING

SELECTED BIBLIOGRAPHY PERTINENT TO PERIGLACIAL  
WEDGES IN WYOMING

by

Thomas C. Nissen

OPEN FILE REPORT 85-15

1985

This report was not reviewed for conformity with the editorial standards of the Geological Survey of Wyoming.

# SELECTED BIBLIOGRAPHY PERTINENT TO PERIGLACIAL WEDGES IN WYOMING

by

Thomas C. Nissen<sup>1</sup>

This bibliography was compiled as a result of research conducted on periglacial wedge-polygons in Wyoming. The bibliography contains selected references on periglacial processes and features, including Soviet and other foreign reports available in translation and landmark papers in the field by such researchers as R.F. Black, T.L. Péwé and A.L. Washburn. Pertinent references on paleoclimates, paleobotany, vertebrate paleontology, pedology, sedimentology, and regional geologic history are also included.

<sup>1</sup> University of Wyoming, Department of Geology and Geophysics, Laramie, Wyoming.

- Ahlbrandt, T.S., 1973, Sand dunes, Killpecker Creek area, Wyoming: Ph.D. dissertation, University of Wyoming, 174 p.
- Ahlbrandt, T.S., Swinehart, J.B., and Maroney, D.G., 1983, The dynamic Holocene dune fields of the Great Plains and Rocky Mountain Basin, U.S.A., in Brookfield, M.E., and Ahlbrandt, T.S., editors, *Developments in sedimentology: eolian sediments and processes*: New York, Elsevier, v. 38, p. 479-406.
- Anderson, E., 1974, A survey of the Late Pleistocene and Holocene fauna in Wyoming, in Wilson, M., editor, *Applied geology and archaeology: the Holocene history of Wyoming*: Geological Survey of Wyoming Report of Investigations 10, p. 79-87.
- Barry, R.G., 1983, Late Pleistocene climatology, in Porter, S.C., editor, *Late Quaternary environments of the United States, the Late Pleistocene*: University of Minnesota Press, Minneapolis, v. 1, p. 390-407.
- Benedict, J.B., 1979, Fossil ice-wedge polygons in the Colorado Front Range: origin and significance: *Geological Society of America Bulletin*, v. 90, no. 2, p. 173-180.
- Berg, T.E., 1969, Fossil sand wedges at Edmonton, Alberta, Canada: *Biuletyn Peryglacjalny*, no. 19, p. 325-334.
- Birkeland, P.W., 1974, *Pedology, weathering, and geomorphological research*: Oxford University Press, Inc., London, 248 p.
- Black, R.F., 1969, Climatically significant fossil periglacial phenomena in north central United States: *Biuletyn Peryglacjalny*, no. 20, p. 225-238.
- Black, R.F., 1973, Growth of patterned ground in Victoria Land, Antarctica: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 192-203.
- Black, R.F., 1976, Periglacial features indicative of permafrost: ice and soil wedges: *Quaternary Research*, v. 6, no. 1, p. 3-26.
- Black, R.F., 1982, Patterned-ground studies in Victoria Land: *Antarctic Journal of the United States*, v. 17, no. 5, p. 53-54.
- Blackstone, D.L., Jr., 1975, Late Cretaceous and Cenozoic history of the Laramie Basin region, southeast Wyoming: *Geological Society of America Memoir* 144, p. 249-279.
- Blackwelder, E., 1915, Post-Cretaceous history of the mountains of central western Wyoming: *Journal of Geology*, v. 23, no. 4, p. 207-340.
- Brechtel, J.M., Burchett, T.W., Tate, M.J., Friedman, P.D., and Newberry, G.S., 1974, *Archaeological investigations along the Frontier Pipeline, southern Wyoming*: Powers Elevation/Archaeology Department, Denver, Colorado, 279 p.
- Bouyoucos, G.J., 1927, The hydrometer as a new method for the mechanical analysis of soils: *Soil Science*, v. 23, p. 343-353.
- Brown, R.J.E., 1978, Influence of climate and terrain on ground temperature in the continuous permafrost zone of northern Manitoba and Keewatin District,

- Canada: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 15-21.
- Cailleux, A., 1969, Quaternary periglacial wind-worn sand grains in USSR, in Péwé, T.L., editor, The periglacial environment, past and present: McGill-Queens University Press, Montreal, p. 285-301.
- Cailleux, A., 1973, Eolisations periglaciaires Quaternaires au Canada: Biuletyn Peryglacjalny, no. 22, p. 81-116.
- Carter, L.D., 1983, Fossil sand wedges on the Alaskan Arctic coastal plain and their paleoenvironmental significance: Fourth International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 109-114.
- Christensen, L., 1978, Waterstress conditions in cereals used in recognizing fossil ice-wedge polygonal patterns in Denmark and northern Germany: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 254-261.
- Christensen, M., and Beiswenger, J., 1982, Fungi as potential indicators of periglacial soils [abstract]: Geological Society of America Abstracts with Programs, v. 14, no. 6, p. 306.
- Core, H.A., Cote, W.A., and Day, A.C., 1975, Wood, structure, and identification: Syracuse University Press, Syracuse, New York, (second edition), 182 p.
- Corte, A.E., 1983, Geocryogenic morphology at Seymour Island (Marambio) Antarctica - a progress report: Fourth International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 192-197.
- Cui Zhijiu and Xie Youyo, 1982, On Late Pleistocene periglacial environment in the northern part of China [abstract]: International Union for Quaternary Research (INQUA), XI Congress, Moscow, v. II, p. 47.
- Dawson, P.J., and Marivitz, J.D., 1982, Wave structures and turbulent features of the winter airflow in southern Wyoming, in Marrs, R.W. and Kolm, K.E., editors, Interpretation of windflow characteristics from eolian landforms: Geological Society of America Special Paper 192, p. 55-64.
- DeHarpporte, D., 1983, Northwest, north central, and Alaska wind atlas: Van Nostrand Reinhold Company, New York, 122 p.
- Derbyshire, E., 1982, Granulometry and fabric of the loess at Jiuzhoutai, Lanzhou, People's Republic of China [abstract]: International Union for Quaternary Research (INQUA), XI Congress, Moscow, v. II, p. 61.
- Dylik, J., 1966, Problems of ice wedge structures and frost-fissure polygons: Biuletyn Peryglacjalny, no. 15, p. 241-291.
- Fenneman, N.M., 1931, Physiography of the western United States: McGraw-Hill Book Company, New York, 534 p.
- Folk, R.L., 1980, Petrology of sedimentary rocks: Hemphills, Austin, Texas, 85 p.

- French, H.M., 1981, Periglacial geomorphology and permafrost: Progress in Physical Geography, v. 5, p. 267-273.
- Frye, J.C., and Willman, H.B., 1960, Classification of the Wisconsin stage in the Lake Michigan glacial lobe: Illinois State Geological Survey Circular 285, 16 p.
- Gasarov, Sh Sh, 1973, Self-regulating mechanism of size-limited ice wedges: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 195-197.
- Gasarov, Sh Sh, 1978, Cryolithogenesis as an independent hydrothermal type of sedimentary process: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 270-276.
- Gates, W.L., 1976, Modeling the ice-age climate: Science, v. 191, p. 1138-1144.
- Gaylord, D.R., 1982, Geologic history of the Ferris dune field, south central Wyoming: Geological Society of America Special Paper 192, p. 65-82.
- Gaylord, D.R., 1983, Recent eolian activity and paleoclimate-fluctuations in the Ferris-Lost Soldier area, south central Wyoming: Ph.D. dissertation, University of Wyoming, Laramie, 266 p.
- Gell, W.A., 1978, Thermal contraction cracks in massive segregated ice, Tuktoyaktuk Peninsula, N.W.T., Canada: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 277-281.
- Gozdzik, J.S., 1978, Fossil frost and ice wedges: detailed analysis of fossil contractional frost-fissures, an instruction: Biuletyn Peryglacjalny, no. 27, p. 172-175.
- Grasso, D.N., 1978, Paleoclimatic significance of fossil ice-wedge polygons in the Laramie Basin, Wyoming: M.S. thesis, University of Wyoming, Laramie, 105 p.
- Hamilton, T.D., Ager, T.A., Robinson, S.W., 1983, Late Holocene ice-wedges near Fairbanks, Alaska, U.S.A.: environmental setting and history of growth: Arctic and Alpine Resources, v. 15, no. 2, p. 157-168.
- Hoare, D.G., and McCabe, A.M., 1981, The periglacial record in east-central Ireland: Biuletyn Peryglacjalny, no. 28, p. 57-78.
- Ingram, R.L., 1971, Sieve analysis, in Carver, R.E., editor, Procedures in sedimentary petroleum: New York, John Wiley, p. 49-67.
- Izett, G.A., and Naeser, C.W., 1976, Age of the Bishop Tuff of eastern California as determined by fission-track method: Geology, v. 4, p. 487-490.
- Jahn, A., 1978, Fossil frost- and ice-wedges: classification of the Pleistocene frost- and ice-wedge structures: Biuletyn Peryglacjalny, no. 27, p. 175-177.
- Karte, J., and Liedtke, H., 1981, The theoretical and practical definition of the term "periglacial" in its geographical and geological meaning: Biuletyn Peryglacjalny, no. 28, p. 123-136.

- Kiver, E.P., 1968, The geomorphology and glacial geology of the southern Medicine Bow Mountains, Colorado and Wyoming: Ph.D. dissertation, University of Wyoming, Laramie, 129 p.
- Klein, G.D., 1971, Peels and impressions, in Craver, R.E. editor, Procedures in sedimentary petrology: New York, John Wiley, p. 217-250.
- Knechtel, M.M., 1951, Giant playa crack polygons in New Mexico compared with Arctic tundra crack polygons: Geological Society of America Bulletin, v. 672, p. 1455.
- Knight, S.H., 1953, Summary of the Cenozoic history of the Medicine Bow Mountains, Wyoming: Wyoming Geological Association 8th Annual Field Conference Guidebook, p. 65-76.
- Kolm, K.E., 1977, Predicting the surface wind characteristics of Wyoming from remote sensing and eolian geomorphology: Ph.D. dissertation, University of Wyoming, Laramie, 141 p.
- Konishchev, V.N., 1973, Frost weathering: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 176-181.
- Konishchev, V.N., 1978, Mineral stability in the zone of cryolithogenesis: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 305-311.
- Konishchev, V.N., 1982a, Characteristics of cryogenic weathering in the permafrost zone of the European USSR: Arctic and Alpine Research, v. 14, no. 3, p. 261-265.
- Konishchev, V.N., 1982b, The evolution of mineral matter in the cryogenic zone [abstract]: International Union for Quaternary Research (INQUA), XI Congress, Moscow, v. I, p. 165.
- Konishchev, V.N., Faristowa, M.A., and Rogov, V.V., 1973, Cryogenic processes as reflected in ground microstructure: Biuletyn Peryglacjalny, no. 22, p. 213-220.
- Konishchev, V.N., and Rogov, V.V., 1983, The cryogenic evolution of mineral matter (an experimental model): Fourth International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 656-659.
- Korotaj, M., and Mycielska-Dowgiallo, E., 1982, Wurmian periglacial processes on the Kolno Plateau in the light of sedimentologic investigations with the use of the scanning electron microscope: Biuletyn Peryglacjalny, no. 29, p. 53-76.
- Kowalkowski, A., 1982, Surface texture of tundra soil quartz grains, as seen under electron microscope [abstract]: International Union for Quaternary Research (INQUA), XI Congress, Moscow, v. I, p. 170.
- Kowalkowski, A., and Brogowski, Z., 1983, Features of cryogenic environment in soils of continental tundra and arid steppe on the southern Khangai slope under electron microscope: Catena, v. 10, p. 199-205.

- Kowalski, C.D., 1978, Soil development on Pleistocene and Holocene geomorphic surfaces of the Laramie Basin, Wyoming: M.A. thesis, University of Wyoming, Laramie, 131 p.
- Krinsley, D.H., and Doornkamp, J.C., 1973, Atlas of quartz sand surface textures: Cambridge University Press, London, England, 91 p.
- Kuchler, A.W., 1964, Potential natural vegetation of the conterminous United States: American Geographical Society Special Paper 36, 226 p. plus map.
- Kumai, M., Anderson, D.M., and Ugolini, F.C., 1976, Examining Antarctic soils with a scanning electron microscope: Antarctic Journal of the United States, v. 11, no. 4, p. 249-252.
- Kumai, M., Anderson, D.M., and Ugolini, F.C., 1978, Antarctic soil studies using a scanning electron microscope: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 106-112.
- Lachenbruch, A.H., 1962, Mechanics of thermal contraction cracks and ice-wedge polygons in permafrost: Geological Society of America Special Paper 70, 69 p.
- Lachenbruch, A.H., 1970, Thermal consideration in permafrost, in Adkison, W.L., and Borsge, M.M., editors, Geological seminar on the north slope of Alaska proceedings: American Association of Petroleum Geologists, Pacific Section, AL-R10, Los Angeles, p. J1-2-J2-5.
- Lang, W.T.B., 1943, Giant drying cracks in Animas Valley, New Mexico: Science, v. 98, p. 583-584.
- Lautridou, J.P., and Ozouf, J.C., 1982, Experimental frost shattering: 15 years of research at the Centre De Geomorphologie du CNRS: Progress in Physical Geography, v. 6, no. 2, p. 215-232.
- Love, J.D., 1960, Cenozoic sedimentation and crustal movement in Wyoming: American Journal of Science (Bradley volume), v. 258-A, p. 204-214.
- Mackay, J.R., 1980, Deformation of ice-wedge polygons, Garry Island, Northwest Territories: Geological Survey of Canada Paper 80-1A, p. 287-291.
- Mackay, J.R., and Black, R.F., 1973, Origin, composition, and structure of perennially frozen ground and ground ice: a review: Second International Conference of Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 185-192.
- Mackay, J.R., Konishchev, V.N., and Popov, A.I., 1978, Geologic controls of the origin, characteristics, and distribution of ground ice: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 2, p. 1-18.
- Martner, B.E., in press, Wyoming climate atlas: University of Wyoming Department of Atmospheric Science, Laramie, Wyoming.
- Martner, B.E., and Marwitz, J.D., 1982, Wind characteristics in southern Wyoming: Journal of Applied Meteorology, v. 21, no. 12, p. 1815-1827.

- McCallum, M.E., 1962, Glaciation of Libby Creek Canyon, east flank of the Medicine Bow Mountains, southeastern Wyoming: University of Wyoming Contributions to Geology, v. 1, no. 1, p. 21-28.
- Mears, B., Jr., 1953, Quaternary features in the Medicine Bow Mountains: Wyoming Geological Association 8th Annual Field Conference Guidebook, p. 81-84.
- Mears, B., Jr., 1962, Stone nets on Medicine Bow Peak, Wyoming: University of Wyoming Contributions to Geology, v. 1, no. 1, p. 48.
- Mears, B., Jr., 1974, The evolution of the Rocky Mountain glacial model, in Coates, D.R., editor, Glacial geomorphology: State University of New York Publications in Geomorphology, Binghamton, New York, p. 11-40.
- Mears, B., Jr., 1981, Periglacial wedges and the Late Pleistocene environment of Wyoming's intermontane basins: Quaternary Research, v. 15, p. 171-198.
- Mears, B., Jr., in press, Late Pleistocene periglacial wedge sites in Wyoming Basins: an illustrated compendium and review with emphasis on Laramie Basin geomorphology: Geological Survey of Wyoming, Laramie, Wyoming.
- Minervin, A.V., 1984, Cryogenic processes in central Asia, in Wright, H.E., Jr., and Barnosky, C.W., editors, Late Quaternary environments of the Soviet Union: University of Minnesota Press, Minneapolis, p. 133-140.
- Montagne, J., 1953, Geomorphology of the Centennial-Big Hollow area, southeastern Wyoming: Wyoming Geological Association 8th Annual Field Conference Guidebook, p. 77-80.
- Nelson, G., 1980, Inactive sand wedges at Casper, Wyoming: indicators of the former presence of permafrost [abstract]: Geological Society of America Abstracts with Programs, v. 12, no. 6, p. 299.
- Oviatt, C.G., 1977, Glacial geology of the Lake Marie area, Medicine Bow Mountains, Wyoming: M.S. thesis, University of Wyoming, Laramie, 82 p.
- Paszkiewicz, Z.S., 1981, Two-storied frost-wedges in the vicinity of Yaroslavl, USSR: Biuletyn Peryglacjalny, no. 28, p. 99-102.
- Péwé, T.L., 1966, Paleoclimatic significance of fossil ice wedges: Biuletyn Peryglacjalny, no. 15, p. 65-75.
- Péwé, T.L., 1969, The periglacial environment, in Péwé, T.L., editor, The periglacial environment; past and present: McGill-Queens University Press, Montreal, Canada, p. 1-9.
- Péwé, T.L., 1978, Tyndall figures in ice crystals of ground-ice in permafrost, New Fairbanks, Alaska: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 312-317.
- Péwé, T.L., 1982, Permafrost in the contiguous United States during Wisconsin time [abstract]: International Union of Quaternary Research (INQUA), XI Congress, Moscow, v. I, p. 249.

- Péwé, T.L., 1983a, Alpine permafrost in the contiguous United States: a review: *Arctic and Alpine Research*, v. 15, no. 2, p. 145-156.
- Péwé, T.L., 1983b, The periglacial environment in North America during Wisconsin time, in Wright, H.E., Jr., editor, *Late Quaternary environments of the United States, Volume 1, The Late Pleistocene* (Porter, S.C., editor): University of Minnesota Press, Minneapolis, p. 157-189.
- Péwé, T.L., Church, R.E., and Andresen, M.J., 1969, Origin and paleoclimatic significance of large-scale patterned ground in the Donnelly Dome area, Alaska: *Geological Society of America Special Paper* 103, 87 p.
- Péwé, T.L., and Journaux, A., 1982, Origin and character of loess-like silt in unglaciated south-central Yakutia, Siberia, USSR [abstract]: *International Union for Quaternary Research (INQUA), XI Congress, Moscow*, v. I, p. 250.
- Pierce, K.L., 1979, History and dynamics of glaciation in the northern Yellowstone National Park area: *U.S. Geological Survey Professional Paper* 729F, 90 p.
- Pinozes, Z., 1982, Investigations on grain-size distribution in periglacial slope sediments in mountainous regions [abstract]: *International Union for Quaternary Research (INQUA), XI Congress, Moscow*, v. II, p. 246.
- Popov, A.I., 1973a, Cryolithogenesis: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 181-184.
- Popov, A.I., 1973b, Genetic systematics of periglacial formations: *Biuletyn Peryglacjalny*, no. 23, p. 115-124.
- Popov, A.I., 1978, Cryolithogenesis, the composition and structure of frozen rocks, and ground ice: *Biuletyn Peryglacjalny*, no. 27, p. 155-170.
- Popov, A.I., 1983, Cryolithogenesis, as a type of lithogenesis: Fourth International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 1005-1008.
- Popov, A.I., and Katasonov, Ye M., 1973, Genesis, composition, and structure of permafrost and ground ice: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 713-724.
- Pye, K., 1982, SME observations of natural and experimentally-formed quartz silt particles in relation to the problem of loess origin [abstract]: *International Union for Quaternary Research (INQUA), XI Congress, Moscow*, v. I, p. 260.
- Reger, R.D., and Péwé, T.L., 1976, Cryoplanation terraces: indicators of a permafrost environment: *Quaternary Research*, v. 6, p. 99-109.
- Reider, R.G., 1983, A soil catena in the Medicine Bow Mountains, Wyoming, U.S.A., with reference to paleoenvironmental influences: *Arctic and Alpine Research*, v. 15, no. 2, p. 181-192.
- Reider, R.G., Kuniatsky, N.J., Stiller, D.M., and Uhl, P.J., 1974, Preliminary investigation of comparative soil development on Pleistocene and Holocene

- geomorphic surfaces of the Laramie Basin, Wyoming, in Wilson, M., editor, Applied geology and archaeology: the Holocene history of Wyoming: Geological Survey of Wyoming Report of Investigations 10, p. 27-33.
- Richmond, G.M., 1965, Glaciation of the Rocky Mountains, in Wright, H.E., and Frey, D.G., editors, The Quaternary of the United States: Princeton University Press, Princeton, New Jersey, p. 217-230.
- Romanovskij, N.N., 1973, Regularities in formation of frost-fissures and development of frost-fissure polygons; Biuletyn Peryglacjalny, no. 23, p. 237-277.
- Romanovskij, N.N., 1978, Principles of classification of polygonal-vein structures: Third International Conference on Permafrost, National Research Council of Canada, Ottawa, Proceedings, v. 1, p. 318-324.
- Ruegg, G.H.J., 1983, Periglacial eolian evenly laminated sandy deposits in the Late Pleistocene of northwest Europe, a facies unrecorded in modern sedimentologic handbooks, in Brookfield, M.E., and Ahlbrandt, T.S., editors, Developments in sedimentology: eolian sediments and processes, New York, Elsevier, v. 38, p. 455-482.
- Serebryannaya, T.A., 1982, On the dynamics of the forest-steppe boundary during the Holocene [abstract]: International Union for Quaternary Research (INQUA), XI Congress, Moscow, v. II, p. 284.
- Smalley, I.J., and Smalley, V., 1983, Loess material and loess deposits: formation, distribution, and consequences, in Brookfield, M.E., and Ahlbrandt, T.S., editors, Developments in sedimentology: eolian sediments and processes, New York, Elsevier, v. 38, p. 51-68.
- Soil Survey Staff, 1975, Soil taxonomy: a basic system of soil classification for making and interpreting soil surveys: U.S. Department of Agriculture, Agriculture Handbook no. 436, 754 p.
- Spackman, L.K., and Munn, L.C., 1984, Genesis and morphology of soils associated with formation of Laramie Basin (mima-like) mounds in Wyoming: Soil Science Society of America Journal, v. 48, no. 6, p. 1384-1392.
- Svensson, H., 1973, Relict forms of polygons associated with wedge ice in southern Scandinavia (Sweden and Denmark): Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 809-812.
- Tumel, N.V., and Mudrov, Yu V., 1973, Some patterns of formation of the horizon of discontinuous frost weathering: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 207-209.
- Ugolini, F.C., Bockheim, J.G., and Anderson, D.M., 1973, Soil development and patterned ground evolution in Beacon Valley, Antarctica: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 346-454.
- Vandenbergh, J., 1983, Ice-wedge casts and involutions as permafrost indicators and their stratigraphic position in the Weichselian: Fourth International

- Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 1298-1302.
- Van Maercke-Gottigng, M.C., 1981, Some geomorphological implications of the cryo-aeolian deposits in western Belgium: *Biuletyn Peryglacjalny*, no. 28, p. 103-114.
- Veklich, M.V., Sirenko, N.A., and Dubnyak, V.A., 1973, Frost induced deformations of Anthropogene deposits in the Ukraine: Second International Conference on Permafrost, National Academy of Sciences, Washington, D.C., Proceedings, p. 189-192.
- Vincent, P.J., 1976, Some periglacial deposits near Aberystwyth, Wales, as seen with a scanning electron microscope: *Biuletyn Peryglacjalny*, no. 25, p. 59-64.
- Walker, D.N., in press, Late Pleistocene/Holocene environmental changes in the Wyoming Basin: the vertebrate record: *Illinois State Museum Reports of Investigation*.
- Wang Youngyan, Teng Zhihong, and Yue Leping, 1982, Microtextures of loess and the genesis of loess in China [abstract]: *International Union for Quaternary Research (INQUA), XI Congress, Moscow, v. II, p. 359.*
- Warren, W.P., 1981, Features indicative of prolonged and severe periglacial activity in Ireland, with particular reference to the southwest: *Biuletyn Peryglacjalny*, no. 28, p. 241-248.
- Washburn, A.L., 1980, *Geocryology - a survey of periglacial processes and environments*: New York, John Wiley, 406 p.
- Watson, E., 1981, Characteristics of ice-wedge casts in west central Wales: *Biuletyn Peryglacjalny*, no. 28, p. 263-278.
- Wellendorf, W., and Krinsley, D.H., 1980, The relation between the crystallography of quartz and upturned aeolian cleavage plates: *Sedimentology*, no. 27, p. 447-453.
- Worsley, P., 1983, Periglacial environment: *Progress in Physical Geography*, v. 7, no. 2, p. 240-248.